## TEXAS COMMISSION ON JAIL STANDARDS



EXECUTIVE DIRECTOR Brandon S. Wood



P.O. Box 12985 Austin, Texas 78711 Voice: (512) 463-5505

Fax: (512) 463-3185

Agency Website: <a href="http://www.tcjs.state.tx.us">http://www.tcjs.state.tx.us</a>
E-mail Address: info@tcjs.state.tx.us

Cas s

September 19, 2022

The Honorable Travis Ransom Cass County Judge P. O. Box 825 Linden, TX 75563-0825

and

Sheriff Larry Rowe Cass County Sheriff P. O. Box 180 Linden, TX 75563-0180

Dear Judge Wilbanks and Sheriff Rowe,

Pursuant to the provisions of V.T.C.A. Government Code, Section 511.011 and Title 37, Texas Administrative Code (Chapter 297, Section 5, Texas Minimum Jail Standards), you are hereby notified that the jail in your county fails to comply with minimum standards established under V.T.C.A. Local Government Code, Chapter 351, and the rules of this Commission, and that appropriate corrective measures must be initiated. A reasonable completion date for corrective measures should be set. Failure to initiate appropriate corrective action may cause a remedial order to be issued and enforced, or other appropriate action taken. *In accordance with Chapter 297, Section 6, Texas Minimum Jail Standards, please notify this agency in writing within thirty (30) days of receipt of this notice as to actions initiated.* 

The attached page(s) indicate minimum standards violated, corrective measures required, and date by which corrective measures must be initiated. Please reference the Special Inspection Requirements Review and Jail Special Inspection Report issued on September 19, 2022, detailing the specific issues that resulted in the issuance of this notice of non-compliance.

Issued this 19th day of September 2022 Texas Commission on Jail Standards

By \_\_\_\_\_\_\_Brandon S. Wood, Executive Director

BW/cw

## TEXAS COMMISSI (O) AIL STANDARDS - INSPEC ON EQUIREMENTS REVIEW

mones


Wendy Wisneski, TCJS Inspector

Facility Name: Cass County Jail

Date:

September 19, 2022

Chapter	Title	Comments
259	New Construction	Deficiency noted. Technical Assistance provided - After reviewing video documentation from the August 29, 2022 escape, it was determined that a vestibule door was left unsecured. When the jailer opened the cellblock door, the inmate assaulted the jailer and exited the vestibule, securing the door behind him. The inmate ran down the hallway in the housing area, and was able to gain access to the booking area through an unsecured door. Once in the booking area, the inmate was able to gain access to Control/Dispatch through an unsecured door. The inmate had a manufactured weapon ('shank') which he used to threaten three (3) other jail personnel into opening the door in booking leading to the sallyport. Once the inmate exited the jail into the sallyport, the inmate was able to escape the facility through the sallyport gate which was also unsecured. Follow up action required-Jai administration will provide a corrective plan of action which shall include training of all jail personne regarding security of doors in the facility as well as sallyport roll up doors.
261	Existing Construction	Not applicable.
263	Life Safety	Not applicable.
265	Admission	Not applicable.
267	Release	Not applicable.
269	Records/Procedures	Not applicable.
271	Classification	Not applicable.
273	Health Services	Not applicable.
275	Supervision	Not applicable.
277	Personal Hygiene	Not applicable.
279	Sanitation	Not applicable.
281	Food Service	Not applicable.
283.1	Discipline	Not applicable.
283.3	Grievance	Not applicable.
285	Exercise	Not applicable.
287	Education/Library	Not applicable.
289	Work Assignments	Not applicable.
291.1	Telephone	Not applicable.
291.2	Correspondence	Not applicable.
291.3	Commissary	Not applicable.
291.4	Visitation	Not applicable.
291.5	Religious Practices	Not applicable.
XXX	Variances	Not applicable.
XXX	Remedial Orders	Not applicable.
XXX	Complaints	Not applicable.
XXX	CCQ	Not applicable.



## TEXAS COMMISSION ON JAIL STANDARDS

**EXECUTIVE DIRECTOR** Brandon S. Wood



P.O. Box 12985
Austin, Texas 78711
Voice: (512) 463-5505
Fax: (512) 463-3185
<a href="http://www.tcjs.state.tx.us">http://www.tcjs.state.tx.us</a>
info@tcjs.state.tx.us

## NOTICE OF NON-COMPLIANCE CASS COUNTY JAIL

**September 19, 2022** 

Please reference the Inspection Requirements Review and Jail Inspection Report issued on September 6, 2022, detailing the specific issues that resulted in the issuance of this notice of non-compliance.

Minimum	
Standards	
Violated:	

Corrective Measure Required Date Corrective Action Must Be Completed

259.102

Facility security shall be planned to protect inmates from one another, protect staff and visitors from inmates, and

deter or prevent escapes.

Video documentation reviewed from the August 29, 2022, escape revealed that facility security was breached when three (3) interior doors were left unsecured. Once able to gain access to a door leading to the sally port, the inmate was able to escape the facility as the sally port gate was also unsecure.

Upon receipt of this notice.