TEXAS COMMISSION ON JAIL STANDARDS

EXECUTIVE DIRECTOR Brandon S. Wood



P.O. Box 12985
Austin, Texas 78711
Voice: (512) 463-5505
Fax: (512) 463-3185
http://www.tcjs.state.tx.us
info@tcjs.state.tx.us

NOTICE OF NON-COMPLIANCE MADISON COUNTY JAIL

August 28, 2023

Please reference the Inspection Requirements Review and Jail Inspection Report issued on August 22, 2023, detailing the specific issues that resulted in the issuance of this notice of non-compliance.

Minimum Standards Violated:	Corrective Measure Required	Date Corrective Action Must Be Completed
263.54	At least one self-contained breathing apparatus shall be available and maintained in or near each facility control station. All staff shall be trained, and quarterly drills conducted in the use of this equipment. A minimum of one unit shall be provided for each building of a multibuilding facility and on each floor of a multistory facility. 6 of 26 jail staff did not complete quarterly training during the 2nd quarter of 2023.	Upon receipt of this notice.
275.1	Restraints. Inmates exhibiting behavior indicating that they are a danger to themselves, or others shall be managed in such a way as to minimize the threat of injury or harm. If restraints are determined to be necessary, they shall be used in a humane manner, only for the prevention of injury, and not as a punitive measure. A documented observation of the inmate shall be conducted every 15 minutes, at a minimum. The observations should include an assessment of the security of the restraints and the circulation to the extremities. Fire Prevention Plan. Restraint chair logs indicated staff exceeded the required 15-minute observation checks by 1 to 27 minutes on 6 of 81 occasions.	Upon receipt of this notice.